

Supplementary Table 2. Mean methylation values in the clinical groups across the 8 CpG islands in the NR3C1-1F region (untransformed values)

CpG island	Clinical group	N	Mean methylation	sd	95% confidence interval	
					lowlim	uplim
1	Control	31	0.0197	0.0071	0.0172	0.0222
1	Tinnitus with PA	11	0.028	0.0206	0.0158	0.0402
1	Tinnitus without PA	11	0.0195	0.0129	0.0119	0.0271
2	Control	31	0.0314	0.0073	0.0289	0.034
2	Tinnitus with PA	11	0.0398	0.0257	0.0246	0.055
2	Tinnitus without PA	11	0.0332	0.0121	0.0261	0.0404
3	Control	31	0.0135	0.0071	0.011	0.0161
3	Tinnitus with PA	11	0.0243	0.0253	0.0094	0.0393
3	Tinnitus without PA	11	0.0152	0.0121	0.008	0.0224
4	Control	31	0.031	0.0108	0.0272	0.0348
4	Tinnitus with PA	11	0.0423	0.029	0.0252	0.0595
4	Tinnitus without PA	11	0.0351	0.0146	0.0265	0.0437
5	Control	31	0.0205	0.0062	0.0183	0.0226
5	Tinnitus with PA	11	0.0335	0.0289	0.0164	0.0506
5	Tinnitus without PA	11	0.0215	0.0094	0.016	0.027
6	Control	31	0.0129	0.0091	0.0097	0.0161
6	Tinnitus with PA	11	0.0236	0.0247	0.009	0.0382
6	Tinnitus without PA	11	0.014	0.0094	0.0084	0.0196
7	Control	31	0.0181	0.0091	0.0149	0.0213
7	Tinnitus with PA	11	0.0309	0.024	0.0168	0.0451
7	Tinnitus without PA	11	0.0179	0.0071	0.0137	0.0221
8	Control	31	0.0133	0.0061	0.0112	0.0155
8	Tinnitus with PA	11	0.0191	0.0234	0.0052	0.0329
8	Tinnitus without PA	11	0.0119	0.0068	0.0079	0.0159