Supplementary File 1: Search Terms

| CINAHL | | Results |
|--------|--|-----------|
| 1 | (MH "Physical Therapy") OR "physical therapy" OR physiotherapy OR exercise | 258,493 |
| 2 | (MH "Neck Pain") OR (MH "Whiplash Injuries") OR (MH "neck muscles") OR "whiplash associated disorder" OR "neck pain" OR "whiplash injuries" OR "neck muscles" (neck OR whiplash OR "neck ache" OR "cervicodynia" OR "cervicalgia" OR "cervical vertebrae" OR cervical OR cervico*) N3 (injur* or pain* or ach* or sore or stiff* or discomfort or sprain* OR strain*) | 12,030 |
| 3 | (MH "Cognitive Therapy+") OR psycho* OR (cognitive AND (restructur* OR behavio* OR therap* OR approach* OR intervention*)) OR (behavio* AND (modification OR therap* OR approach* OR intervention*)) OR relaxation OR "systematic desensiti*" OR "problem solv*" OR counsel* OR motivat* OR mindful* OR (intervention AND anxiety) OR (intervention AND depress*) OR "progressive goal*" OR (acceptance AND (therapy OR commit*)) OR (stress AND (management OR inoculation)) OR "graded exposure" OR communication OR "positive affect" OR (coping AND (skills OR training OR strategy*)) | 1,286,277 |
| 4 | S1 AND S2 AND S3 | 554 |
| 5 | PT randomized controlled trial | 135,501 |
| 6 | PT clinical trial | 109,468 |
| 7 | S4 AND (S5 OR S6) | 137 |

Farrell et al. Effectiveness of Psychological Interventions Delivered by Physiotherapists in Management of Neck Pain: a Systematic Review with Meta-Analysis

| Cochrane | | Results |
|----------|---|---------|
| 1 | [mh "Physical Therapy"] OR "physical therapy" OR physiotherapy OR exercise | 136,496 |
| 2 | [mh "Neck Pain"] OR [mh "Whiplash Injuries"] OR [mh "neck muscles"] OR "whiplash associated disorder" OR "neck pain" OR "whiplash injuries" OR "neck muscles" (neck OR whiplash OR "neck ache" OR "cervicodynia" OR "cervicalgia" OR "cervical vertebrae" OR cervical OR cervico*) NEAR/3 (injur* or pain* or ach* or sore or stiff* or discomfort or sprain* OR strain*) | 4,559 |
| 3 | [mh "Cognitive Therapy"] OR psycho* OR (cognitive AND (restructur* OR behavio* OR therap* OR approach* OR intervention*)) OR (behavio* AND (modification OR therap* OR approach* OR intervention*)) OR relaxation OR "systematic desensiti*" OR "problem solv*" OR counsel* OR motivat* OR mindful* OR (intervention AND anxiety) OR (intervention AND depress*) OR "progressive goal*" OR (acceptance AND (therapy OR commit*)) OR (stress AND (management OR inoculation)) OR "graded exposure" OR communication OR "positive affect" OR (coping AND (skills OR training OR strategy*)) | 312,843 |
| 4 | #1 AND #2 AND #3 | 598 |
| 5 | PT "randomized controlled trials" | 5,820 |
| 6 | PT "clinical trial" | 17,155 |
| 7 | #4 AND (#5 OR #6) | 84 |

Farrell et al. Effectiveness of Psychological Interventions Delivered by Physiotherapists in Management of Neck Pain: a Systematic Review with Meta-Analysis

| PubMed | | Results |
|--------|---|-----------|
| 1 | (MeSH "Physical Therapy") OR "physical therapy" OR physiotherapy OR exercise | 672,994 |
| 2 | (MeSH "Neck Pain") OR (MeSH "Whiplash Injuries") OR (MeSH "neck muscles") OR "whiplash associated disorder" OR "neck pain" OR "whiplash injuries" OR "neck muscles" (neck OR whiplash OR "neck ache" OR "cervicodynia" OR "cervicalgia" OR "cervical vertebrae" OR cervical OR cervico*) AND (injur* or pain* or achi* or sore or stiff* or discomfort or sprain* OR strain*) | 18,482 |
| 3 | (MeSH "Cognitive Therapy") OR psycho* OR (cognitive AND (restructur* OR behavio* OR therap* OR approach* OR intervention*)) OR (behavio* AND (modification OR therap* OR approach* OR intervention*)) OR relaxation OR "systematic desensiti*" OR "problem solv*" OR counsel* OR motivat* OR mindful* OR (intervention AND anxiety) OR (intervention AND depress*) OR "progressive goal*" OR (acceptance AND (therapy OR commit*)) OR (stress AND (management OR inoculation)) OR "graded exposure" OR communication OR "positive affect" OR (coping AND (skills OR training OR strategy*)) | 4,188,955 |
| 4 | ((#1) AND (#2)) AND (#3) | 1,318 |
| 5 | randomized controlled trial [publication type] | 550,775 |
| 6 | Clinical trial [publication type] | 916,574 |
| 7 | (#4) AND ((#5) OR (#6)) | 308 |

Farrell et al. Effectiveness of Psychological Interventions Delivered by Physiotherapists in Management of Neck Pain: a Systematic Review with Meta-Analysis

| Embase | | Results |
|--------|---|-----------|
| 1 | 'physical therapy'/de OR 'physical therapy' OR physiotherapy OR exercise | 795,476 |
| 2 | ('neck pain'/de OR 'whiplash injuries'/de OR 'neck muscles'/de OR 'whiplash associated disorder' OR 'neck pain' OR 'whiplash injuries' OR 'neck muscles') AND (neck OR whiplash OR 'neck ache' OR 'cervicodynia' OR 'cervicalgia' OR 'cervical vertebrae' OR cervical OR cervico*) NEAR/3 (injur* OR pain* OR ach* OR sore OR stiff* OR discomfort OR sprain* OR strain*) | 34,087 |
| 3 | 'cognitive therapy'/de OR psycho* OR (cognitive AND (restructur* OR behavio* OR therap* OR approach* OR intervention*)) OR (behavio* AND (modification OR therap* OR approach* OR intervention*)) OR relaxation OR 'systematic desensiti*' OR 'problem solv*' OR counsel* OR motivat* OR mindful* OR (intervention AND anxiety) OR (intervention AND depress*) OR 'progressive goal*' OR (acceptance AND (therapy OR commit*)) OR (stress AND (management OR inoculation)) OR 'graded exposure' OR communication OR 'positive affect' OR (coping AND (skills OR training OR strategy*)) | 4,278,488 |
| 4 | #1 AND #2 AND #3 | 1,762 |
| 5 | (randomised AND controlled AND trial OR randomized) AND controlled AND trial | 994,965 |
| 6 | #4 AND #5 | 403 |