

Online Supplement Table. Incidence of ADEs in the first year of ART between migrants and non-migrants (per 1000 person years)

	Total	Number		Incidence (95% CI)	
		Non-migrants	Migrants	Non-migrants	Migrants
Any ADE	2710	1915	795	57.7 (55.2-60.4)	69.9 (65.2-74.9)
Mycobacterial TB, location unspecified	372	209	163	6.30 (5.50-7.22)	14.3 (12.3-16.7)
Kaposi's sarcoma	308	225	83	6.79 (5.95-7.73)	7.29 (5.88-9.05)
Candidiasis, unspecified	255	163	92	4.92 (4.21-5.73)	8.09 (6.59-9.92)
MAC or Kansaii, extrapulmonary	224	167	57	5.04 (4.33-5.86)	5.01 (3.86-6.49)
CMV – other location	159	121	38	3.65 (3.05-4.36)	3.34 (2.43-4.59)
Non-Hodgkin –unknown/other histology	156	128	28	3.86 (3.25-4.59)	2.46 (1.70-3.56)
Toxoplasmosis, brain	143	108	35	3.26 (2.70-3.93)	3.08 (2.21-4.28)
PCP P jiroveci infection	124	106	18	3.20 (2.64-3.87)	1.58 (1.00-2.51)
Bacterial pneumonia	124	93	31	2.80 (2.29-3.44)	2.72 (1.92-3.87)
Herpes simplex virus ulcers or pneumonitis/esophagitis	115	75	40	2.26 (1.80-2.63)	3.52 (2.58-4.79)
Progressive multifocal leucoencephalopathy	112	93	19	2.80 (2.29-3.44)	1.67 (1.07-2.62)
AIDS dementia complex	110	92	18	2.77 (2.26-3.40)	1.58 (1.00-2.51)
Mycobacterial extrapulm, other type	105	66	39	1.99 (1.56-2.53)	3.43 (2.50-4.69)
CMV chorioretinitis	92	65	27	1.96 (1.54-2.50)	2.37 (1.63-3.46)
Cryptococcosis, extrapulm.	65	35	30	1.06 (0.76-1.47)	2.64 (1.84-3.77)
HIV wasting syndrome	63	52	11	1.57 (1.19-2.06)	0.97 (0.54-1.75)
Cryptosporidiosis (duration >1 month)	35	26	9	0.78 (0.53-1.15)	0.79 (0.41-1.52)
Hodgkin lymphoma	28	20	8	0.60 (0.39-0.93)	0.70 (0.35-1.41)
Leishmaniasis, visceral	26	18	8	0.54 (0.34-0.86)	0.70 (0.35-1.41)
Non-Hodgkin lymphoma – primary brain	25	20	5	0.60 (0.39-0.93)	0.44 (0.18-1.06)
Cervical cancer	20	11	9	0.33 (0.18-0.60)	0.79 (0.41-1.52)
Isosporiasis diarrhea	13	1	12	0.03 (0.004-0.21)	1.05 (0.60-1.86)
Histoplasmosis, extrapulm.	12	2	10	0.06 (0.02-0.24)	0.88 (0.47-1.63)
Salmonella bacteriaemia (non-typhoid)	5	4	1	0.12 (0.05-0.32)	0.09 (0.01-0.62)
Unidentified AIDS event	19	15	4	0.45 (0.27-0.75)	0.35 (0.13-0.94)

Online Supplementary Figure. Cumulative incidence of ADEs in the first year of ART, treating deaths as a competing risk. Left panel compares migrants with non-migrants; migrants separated into specific region of origin in right panel. Results are nearly identical to those that censored patients who died (compare with Figure 1).

